



LAKESIDE FLOOD SOLUTIONS

LAKESIDE STEEL FLOOD DOOR – SR2 RATED



PRODUCT DATA SHEET

As Selected by CBRE & BT



LFS Steel Flood Door SR2 Rated

Key Features:

- Protect against flood & unauthorized entry
- Flood Rating: Tested to BSI 1188-1:2009
- Security Rating: LPS 1175: Issue 7 SR2

PRODUCT DATA SHEET

Specification:

- Leaf: 1.2mm Zintec Skins, Honeycomb Infill
- Frame Profile: 110mm
- Threshold: Box Section
- Hinge Type: Marine Grade
- Finish: PPC – any RAL Colour
- Panic Ironmongery:
 - Mico Abryll (Automatic Deadlocking) with Lever Handle
 - Thumbturn internally
 - External operation – Lever Handle & Key Override
 - Tigris Omega Scandinavian Oval
 - Spring Loaded Bolts (Double Doors only)



01792 561117

sales@lakesidefloodsolutions.co.uk



Bruce Road, Fforestfach Industrial Estate, Swansea SA5 4HS



www.lakesidefloodsolutions.co.uk



GA Drawings available upon request



THRESHOLD DETAIL	HANDING AND CLEAR OPENING (EXCLUDING HARDWARE)
FRAME PROFILE	

